

MATERIAL SAFETY DATA SHEET



NOTE: This Material Safety Data Sheet (MSDS) is prepared for industrial/commercial use situations. The preparation of this MSDS may be required by law but this is not an assertion that this product presents a risk in the normal consumer use situation.

1. PRODUCT IDENTIFICATION

PRODUCT (AS LABELED): "all"® Fabric Refresher

GENERAL USE: Fabric refresher pump spray - Fresh Rain™ & Citrus Breeze™ Scents

MANUFACTURER'S NAME: Unilever Home & Personal Care, USA
ADDRESS: 33 Benedict Place
Greenwich, CT 06830

BUSINESS PHONE: 1-800-598-1223

FORMULATION DATE: 4/21/2003
MSDS#: 16788

2. COMPOSITION and INFORMATION ON INGREDIENTS

EXPOSURE LIMITS IN AIR*

CHEMICAL NAME:	CAS#	ACGIH		OSHA	
		TLV mg/m ³	STEL mg/m ³	PEL mg/m ³	STEL mg/m ³
Ethanol	64-17-5	1000 ppm	NA	1000 ppm	NA

NA = Not Applicable
*See Section 12 for DEFINITION OF TERMS

3. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: CAUTION: Avoid spraying in eyes. If eye contact occurs, rinse well with water. Keep Out of Reach of Children.

POTENTIAL HEALTH EFFECTS:
CONTACT WITH EYES: May cause mild irritation and discomfort.
CONTACT WITH SKIN: No effects expected.
INGESTION: No effects expected.
INHALATION: No effects expected.
CHRONIC HEALTH EFFECTS: None expected.

VAPOR PRESSURE, mm Hg @ 20°C: Not available
APPEARANCE AND COLOR: This product is a fragrant, clear liquid.

pH (1% solution): 5 - 7

10. STABILITY and REACTIVITY

STABILITY: Stable.
DECOMPOSITION PRODUCTS: None.
MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: None.
HAZARDOUS POLYMERIZATION: Will not occur.
CONDITIONS TO AVOID: None.

11. TRANSPORTATION INFORMATION

THIS MATERIAL IS NOT HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME:	Not applicable.
HAZARD CLASS NUMBER and DESCRIPTION:	Not applicable.
UN IDENTIFICATION NUMBER:	Not applicable.
PACKING GROUP:	Not applicable.
DOT LABEL(S) REQUIRED:	Not applicable.
EMERGENCY RESPONSE GUIDE NUMBER:	Not applicable.
MARINE POLLUTANT:	Not applicable.

CANADIAN TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: THIS MATERIAL IS NOT CLASSIFIED AS "DANGEROUS GOODS".

12. OTHER INFORMATION

PREPARED BY: Unilever HPC USA
New York, NY 10022

April 25, 2003

The information contained in this MSDS is based on data which is believed to be accurate. While Unilever HPC USA believes that the data contained herein comply with 29 CFR 1910.1200, they are not to be taken as a warranty or representation for which Unilever HPC USA assumes legal responsibility. They are offered solely for your consideration and verification. This MSDS is not prepared for consumer use situations.

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a MSDS. Some of these which are commonly used include the following: CAS #: This is the Chemical Abstract Service Number which uniquely identifies each constituent. EXPOSURE LIMITS IN AIR: ACGIH - American Conference of Governmental Industrial Hygienists, a professional association which establishes exposure limits. TLV - Threshold Limit Value - an airborne concentration of a substance which represents conditions under which it is generally believed that nearly all workers may be repeatedly exposed without adverse effect. The duration must be considered, including the 8-hour Time Weighted Average (TWA), the 15-minute Short Term Exposure Limit (STEL), and the instantaneous Ceiling Level. Skin adsorption effects must also be considered.

OSHA - U.S. Occupational Safety and Health Administration. PEL - Permissible Exposure Limit - this exposure value means exactly the same as a TLV, except that it is enforceable by OSHA. NIOSH is the National Institute of Occupational Safety and Health, which is the research arm of the U.S. Occupational Safety and Health Administration (OSHA). NIOSH issues exposure guidelines called Recommended Exposure Levels (RELs). FLAMMABILITY LIMITS IN AIR: Much of the information related to fire and explosion is derived from the National Fire Protection Association (NFPA). LEL - the lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. UEL - the highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source. NA = Not Applicable.