

FLINN SCIENTIFIC INC.

"Your Safer Source for Science Supplies"

Material Safety Data Sheet (MSDS)

MSDS #: 572.50

Revision Date: November 25, 2002

Section 1 — Chemical Product and Company Identification

Pain Reliever, Tablets

Anacin

Flinn Scientific, Inc. P.O. Box 219 Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

Section 2 — Composition, Information on Ingredients

May contain Acetyl Salicylic Acid (50-77-2), 4-acetamidophenol (103-90-2), 4-isobutyl-a-methylphenyl acetic acid (15687-27-1), caffeine (58-08-2), or combinations of these, as shown on the label. Synonym: aspirin, acetaminophen, ibuprofen, caffeine.

CAS#: None Established

Section 3 — Hazards Identification

White tablet. Slight vinegar odor.

Not sold for human consumption. An allergen. May cause bleeding after ingestion. 10 g dose may be fatal.

FLINN AT-A-GLANCE

Health-2

Flammability-0

Reactivity-0

Exposure-2

Storage-3

0 is low hazard, 3 is high hazard

Section 4 — First Aid Measures

Call a physician, seek medical attention for further treatment, observation and support after first aid.

Inhalation: Remove to fresh air at once. If breathing has stopped give artificial respiration immediately.

Eye: Immediately flush with fresh water for 15 minutes.

External: Wash continuously with fresh water for 15 minutes.

Internal: Rinse out mouth, give 1 to 2 cups of water or milk, induce vomiting. Call a physician or poison control at once.

Section 5 — Fire Fighting Measures

Non-flammable solid.

Fire Fighting Instructions: Use triclass, dry chemical fire extinguisher. Firefighters should wear PPE and SCBA with full facepiece operated in positive pressure mode.

NFPA CODE

None Established

Section 6 — Accidental Release Measures

Restrict unprotected personnel from area. Sweep up, place in sealed bag or container and dispose. Ventilate area and wash spill site after material pickup is complete. See Sections 8 and 13 for further information.

Section 7 — Handling and Storage

Flinn suggested chemical storage pattern: organic miscellaneous. Store with other organic miscellaneous materials. Store in a cool dry place. Store in a poison cabinet.

Section 8 — Exposure Controls, Personal Protection

Avoid contact with eyes, skin and clothing. Wear chemical splash goggles, chemical-resistant gloves and chemical-resistant apron.

FLINN SCIENTIFIC INC.

"Your Safer Source for Science Supplies"

Material Safety Data Sheet (MSDS)

Pain Reliever, Tablets

MSDS #: 572.50

Revision Date: November 25, 2002

Section 9 — Physical and Chemical Properties

White tablet.

Mixture of pain relievers and binders.

Solubility: Slight solubility in water (1%)

Section 10 — Stability and Reactivity

Avoid excessive heat (over 104 F).

Shelf life: Good, if stored in cool, dry place.

Section 11 — Toxicological Information

Acute effects: N.A.

Chronic effects: N.A.

Target organs: N.A.

Avoid ingestion of any item stored in a chemical storeroom.

ORL-RAT LD50: N.A.

IHL-RAT LC50: N.A.

SKN-RBT LD50: N.A.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

Section 12 — Ecological Information

Data not yet available.

Section 13 — Disposal Considerations

Please consult with state and local regulations.

Flinn Suggested Disposal Method #26a is one option.

Section 14 — Transport Information

Shipping Name: Not regulated

Hazard Class: N/A

UN Number: N/A

N/A = Not applicable

Section 15 — Regulatory Information

Not listed.

Section 16 — Other Information

Consult your copy of the Flinn Scientific Catalog/Reference Manual for additional information about laboratory chemicals. This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. Flinn Scientific Inc. assumes no legal responsibility for use or reliance upon this data.

FLINN SCIENTIFIC INC.

"Your Safer Source for Science Supplies"

*Reduce Science Accidents--
Use Flinn Chemicals*

flinn@flinnsci.com www.flinnsci.com
P.O. Box 219 Batavia IL 60510
(800) 452-1261 Fax (866) 452-1436

INSIGHT Pharmaceuticals

Health Care Products that Benefit Users

Home

About Us

Products

Contact Us

Anacin® Pain Reliever

Anacin... A Trusted Brand for Over 50 Years!

- For the temporary relief of minor aches and pains associated with a cold, headache, muscular aches, backaches, toothache, menstrual cramps and the minor pain of arthritis.
- 100 coated tablets



Drug Facts

Active ingredients (in each tablet)

Aspirin 400 mg

Caffeine 32 mg

Purposes

Pain reliever

Pain reliever aid

Inactive ingredients

hydroxypropyl methylcellulose, microcrystalline cellulose, Polyethylene glycol, sodium lauryl sulfate, starch

Uses

Temporarily relieves minor aches and pains due to:

- headache
- backache
- the common cold
- toothache
- muscular aches
- minor pain of arthritis
- menstrual cramps

Warnings

Reye's syndrome: Children and teenagers should not use this medicine for chicken pox or flu symptoms before a doctor is consulted about Reye's syndrome, a rare but serious illness reported to be associated with aspirin.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

Alcohol warning: If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take aspirin or other pain relievers/fever reducers. Aspirin may cause stomach bleeding.

Do not use if you have ever had an allergic reaction to any other pain reliever/fever reducer

Ask a doctor before use if you have

- asthma
- ulcers
- bleeding problems
- stomach problems that persist or recur, such as heartburn, stomach upset or stomach pain.

Ask a doctor or pharmacist before use if you are Taking a perscription drug for:

- anticoagulation (blood thinning)
- diabetes
- gout
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away
- pain gets worse or lasts more than 10 days
- ringing in the ears or loss of hearing occurs
- redness or swelling is present in the painful area
- any new symptoms occur

If pregnant or breast feeding, ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

• drink a full glass of water with each dose • adults and children 12 years of age or older: take 2 tablets every 6 hours, while symptoms persist • do not take more than 8 tablets in 24 hours, or as directed by a doctor • children under 12 years of age: ask a doctor

Other Information

• read all warnings and directions before use. Keep carton • store at 20 – 25 degrees C (68 – 77 degrees F) • protect from moisture

550 Township Line Road, Blue Bell, PA 19422-2726

Copyright 2003 Insight Pharmaceuticals. All rights reserved.